



National Guidance on Differentiated TB Care



Overview
For ASHA/ community volunteer/ family member



Scan this QR Code for Differentiated TB Care Guidelines

Differentiated TB Care for reducing Mortality

Goal

- Identify TB patients who are at risk of mortality, provide timely care to prevent death

Triaging, Risk assessment & Referral

Appropriate care including in-patient care

Follow up

Action Point for ASHA/Community Volunteer/Family Member

- To identify "Red Flag Criteria" among persons with TB or symptoms of TB
- To refer the persons positive for "Red Flag Criteria" to PHC or higher health facility
- To follow all "Red Flag Criteria" negative persons with TB for assessment every month and whenever patient has any complications.

Evaluation & Triaging at Family / Community Level

ASSESS FOR RED FLAG CRITERIA OF SEVERE TB DISEASE



1. Patient confined to bed



2. Breathlessness



3. Severe Chest pain



4. Convulsions



5. Coughing out blood



6. Vomiting & Diarrhoea



7. Adverse Drug Reactions

Central TB Division
Ministry of Health & Family Welfare
Government of India



TB Aarogya Sathi

Ni-kshay Sampark (National TB Call Centre) - 1800 11 6666

@TBDivision.India.1



@TbDivision



@TB MukT Bharat